



ParStor[®]

SYSTEMS



www.logiquip.com

TABLE OF CONTENTS

TABLE OF CONTENTS

| | |
|---|------|
| PARSTOR® SERIES FEATURES & BENEFITS | 3 |
| PARSTOR PRODUCT LINE COMPARISON | 4 |
| PARSTOR MOVABLE SHELVING SYSTEMS | 5 |
| PARSTOR SHORT CART | 6 |
| PARSTOR STATIONARY SHELVING SYSTEMS | 6 |
| OPEN PARCARTS | 7 |
| ENCLOSED PARCARTS | 8 |
| PARSTOR ACCESSORIES | 9-13 |
| STAINLESS STEEL TOPS FOR PARSTOR & PARCART | 9 |
| CHROME WIRE SHELVES | 9 |
| WIRE SHELF & BASKETS SPECIFICALLY FOR TOP SHELF | 9 |
| CLEAR TUBS & DIVIDERS | 10 |
| WIRE BASKETS & DIVIDERS | 11 |
| TOUCHLESS TRANSPORT BASKETS, KITS & ADD-ONS | 12 |
| FRAMES, CROSS BAR, SLIDES & DUST COVERS | 13 |
| CASTERS & LEVELING FEET | 14 |
| CART COVERS & LABELS | 14 |
| HOW TO MEASURE PARSTOR & PARCART | 15 |

PARSTOR® SERIES

LogiQuip's **ParStor Series** is ideal for use in **Sterile Processing Departments (SPD)** and **Operating Rooms (OR)** to store surgical instruments, peel pouches, and sutures. Our highest-density storage system, **ParStor** is designed to be used where space is at a premium. With a variety of storage accessories that extend 100%, you will have full access to your supplies when needed. If you are looking for a mobile option, our **ParCarts** are made to move. Built on a sturdy **Dolly Platform** with **5" Casters**, large quantities of supplies can be transported over thresholds and throughout your facility with ease.

MAXIMIZE STORAGE DENSITY

Ideal for small storage areas, our **ParStor Series** utilizes every inch of vertical storage space to maximize storage capacity. The tall, **All-Welded Frames** are outfitted with **Chrome Slides** that can be mounted **Straight** or at an **Angle**. **ParStor Frames** have **Notches** to allow **Slides** and **Accessories** to be mounted at 1" intervals.

FLEXIBLE CONFIGURATIONS

LogiQuip's **ParStor Line** is available in multiple configurations to accommodate high-density storage in any situation. **ParStor Units** come in **Stationary** and **Movable** when you need to store supplies in place. Our **ParCarts** provide **Mobile** options when you need to move supplies from location to location. **ParCarts** come in **Open** or **Enclosed**, **Single-** and **Double-Wide**, and come in three heights.

CUSTOMIZE WITH ACCESSORIES

ParStor Slides accept several **Accessories** that can be extended 100% for full access to stored supplies and adjusted without tools. **Chrome Plated Waterfall Edge Shelves** are available for instrument storage that minimizes snags and tears. In addition, our **LogiCell Wire Baskets** and **Clear Tubs** are available with and without **Dividers** to fully customize your **ParStor Unit**.

LIMITED 5-YEAR WARRANTY

LogiQuip products are covered by a **Limited 5-Year Warranty** from date of receipt against defect in materials or workmanship under normal use and service, excluding **Electronic Components, Cart Covers, Custom Products, LogiCell Tambour Doors, Label Holders, and Casters**. During this period, LogiQuip will, in its sole discretion, repair defects in materials or workmanship that existed when the product was received or replace the product. If the product is replaced, the new product will be warranted for the remaining term of the original product warranty period. Visit LogiQuip.com/Warranty for more details.



ParStor Mobile Cart



Open ParCart



Enclosed ParCart

PARSTOR® PRODUCT LINE

WHAT'S THE DIFFERENCE?

While all ParStor Storage Systems give you our highest density storage in small spaces, there are some differences between ParStor and ParCarts that you need to consider when deciding which solution is right for you. See the chart below to compare all ParStor options.



ParStor Movable Shelving units are the right solution when your supplies can remain in one location. These units can be moved for cleaning.



ParStor ParCarts are the perfect solution when you need to transport supplies department-to-department. Built on a **Dolly Base**, this sturdy option is built to move.



Building on our **ParStor ParCarts**, this enclosed option is perfect for when supplies may be exposed to contaminants during transport.

PARSTORE PRODUCT LINE COMPARISON

| FEATURES | PARSTOR ON CASTERS | PARCARTS OPEN | PARCARTS ENCLOSED |
|---|--|---|---|
| DOLLY BASE | No | Yes | Yes |
| USE FOR TRANSPORT | No | Yes | Yes |
| COMPATIBLE WITH SHELVES, BASKETS, AND BINS | Yes | Yes | Yes |
| OPEN STORAGE | Yes | Yes | No |
| ENCLOSED STORAGE | No | No | Yes |
| SECURITY OPTIONS | No | No | eLock & Keylock Available |
| DEPARTMENT USE | SPD OR CORE Clean Supply Room | Materials Management Supply Chain | OR OR Core SPD |
| USES | Instrument Storage Sterile Wrap Storage | Sterile Supplies IV Solutions Instrument Containers Implants | Sterile Supplies IV Solutions Instrument Containers Implants |

PARSTOR® MOVABLE SHELVING SYSTEMS

PARSTOR MOVABLE SHELVING

LogiQuip's **ParStor Movable Shelving** is a complete system with two add-ons for each starter. The height is 74.5" to the top of the **Frame** and 76" if you include the lip of the **Top Wire Shelf**. **Shelving** units should be limited to rolling within the immediate area for things like cleaning.

These units are not intended to be moved between departments. **Accessories** are mounted with **Full-Extension Slides** that are adjustable without tools to fit the **Vertical Slots** in the **Frame**. **Slanted Slides** can slant up to four (4) slots. All units include four (4) **Cross Bars**, one (1) **Wire Top Shelf**, and one (1) **Bottom Dust Shield**.

Assembly is required for all **ParStor Shelving**. Contact your representative to request factory or on-site assembly.



MODEL # NPS68CSM

| PARSTOR MOVABLE SHELVING SYSTEMS | | | |
|----------------------------------|--|---|---------------|
| MODEL | DESCRIPTION | INCLUDES | D x W - IN. |
| NPS68CSM | Narrow Size Starter Unit Ideal for storing sterile containers | (2) 57-Slot Frames, (7) Pairs of Slides, (7) Narrow Waterfall Shelves, (4) 5" Casters – (2) Swivel, (2) Brake, (1) Bag of 50 Label Holders | 25.5 x 19.75 |
| NPS68CSMA | Narrow Size Add-On Unit Ideal for storing sterile containers | (1) 57-Slot Frame, (7) Pairs of Slides, (7) Narrow Waterfall Shelves, (2) 5" Casters – (1) Swivel, (1) Brake, (1) Bag of 50 Label Holders | 25.5 x 17.875 |
| PS68EM | Base Starter Unit | (5) 5" Baskets with (5) Long and (5) Short Dividers, (1) 8" Basket with (1) Long Divider, (4) 5" Casters – (2) Swivel, (2) Brake | 25.5 x 21.5 |
| PS68M | Starter Unit | (2) 57-Slot Frames, (7) Pairs of Slides, (1) Pair Slanted Slides with Safety Stop, (1) 5" Tray with Frame + (2) Long Dividers and Short Dividers, (1) 3" Basket + (2) Long and Short Dividers, (5) 5" Baskets + (5) Long and (10) Short Dividers, (1) 8" Basket + (1) Long and Short Dividers, (4) Casters – (2) Swivel/(2) Brake, (50) LH3 Label Holders | 25.5 x 21.5 |
| PS68MA | Add-On Unit | Same as PS68M without (1) Frame and (2) Casters | 25.5 x 19 |
| PS68PM | Add-On Starter Unit | (1) 3" Clear Tub with (2) Long and (2) Short Dividers, (2) Slanted Slides with Safety Stop, (6) 5" Clear Tubes with (6) Long and (6) Short Dividers, (1) 8" Clear Tub with (1) Long and (1) Short Divider, (4) 5" Casters – (2) Swivel, (2) Brake, (50) LH3 Label Holders | 25.5 x 19 |
| PS68IRM | Peel Pouch Instrument Storage Starter Unit | (2) 57-Slot Frames, (7) Pairs of Slides, (7) 5" Baskets + (10) Long and (36) Short Dividers, (4) Casters – (2) Swivel/(2) Brake, (50) LH3 Label Holders | 25.5 x 21.5 |
| PS68IRMA | Peel Pouch Add-On | Same as PS68IRM without (1) Frame and (2) Casters | 25.5 x 19 |
| PS68IVMA | Peel Pouch Add-On Unit | (1) 5" Basket with (2) Long Dividers, (4) 8" Baskets with (8) Long Dividers, (2) 5" Casters – (1) Swivel, (1) Brake, (50) LH3 Label Holders | 25.5 x 19 |
| PS68CSM | Container Storage Starter Unit | (2) 57-Slot Frames, (4) Casters – (2) Swivel/(2) Brake, (7) Pairs of Slides, (7) Wire Shelves, (50) LH3 Label Holders | 25.5 x 21.5 |
| PS68CSMA | Container Storage Add-On | Same as PS68CSM without (1) Frame and (2) Casters | 25.5 x 19 |
| FR68M | Starter Kit on Casters | (2) 57-Slot Frames, (4) Casters – (2) Swivel/(2) Brake, Note: Sides Not Included | 25.5 x 21.5 |
| FR68MA | Add-On Unit on Casters | Same as FR68M without (1) Frame and (2) Casters | 25.5 x 19 |

PARSTOR® SHORT & STATIONARY SHELVING SYSTEMS

PARSTOR SHORT CART

Ideal for under-table storage, this **ParStor Short Cart** provides high-density storage when every inch counts. A **Stainless Steel Top with Handle** (see **Accessories** on page 9) can also be added for additional workspace.

| PARSTOR SHORT CART | | | |
|--------------------|--------------------|---|------------------|
| MODEL | DESCRIPTION | INCLUDES | D x W x H - IN. |
| PS31MSCU | ParStor Short Cart | (2) 3" Tubs + (2) Short and (2) Long Dividers, (2) 5" Tubs + (2) Short and (2) Long Dividers, (4) 2" Swivel Casters | 25.5 x 21.5 x 31 |


PARSTOR STATIONARY SHELVING

The **Stationary ParStor Starter** unit comes with everything you need to get up and running. When more space is needed, pair the **Add-On** unit with the **Starter** unit for a complete solution. The height is 68.5" to the top of the Frame and 71" if you include the lip of the **Top Wire Shelf**.

Accessories are mounted with **Full-Extension Slides** which are fully adjustable without tools to fit the **Vertical Slots** in the **Frame**. **Slanted Slides** can slant up to four (4) slots. All units include four (4) **Cross Bars**, one (1) **Wire Top Shelf**, and one (1) **Bottom Dust Shield**.

Assembly is required for all **ParStor Shelving**. Contact your representative to request factory or on-site assembly.

MODEL # PS68S



| PARSTOR STATIONARY SHELVING SYSTEMS | | | |
|-------------------------------------|------------------------------|--|-------------|
| MODEL | DESCRIPTION | INCLUDES | D x W - IN. |
| FR68S | Stationary Frame | (2) 57-Slot Frames, (4) Leveling Feet, (1) Top Shelf, Does NOT Include Slides or Other Shelves | 24 x 19.5 |
| FR68SA | Stationary Frame Add-On Unit | Same as FR68S without (1) Frame and (2) Leveling Feet | 24 x 19.5 |
| PS68S | Stationary Starter Unit | (2) 57-Slot Frames, (4) Leveling Feet, (7) Pairs of Slides, (1) Pair Slated Slide and Stop, (1) 3" Basket + (2) Long and Short Dividers, (5) 5" Baskets + (5) Long and (10) Short Dividers, (1) 8" Basket + (1) Long and Short Divider, (1) 5" Tray with Frame + (2) Long and Short Dividers, (25) LH3 Label Holders | 24 x 19.5 |
| PS68SA | Stationary Add-On Unit | Same as FR68M without (1) Frame and (2) Leveling Feet | 24 x 18.5 |

OPEN PARCARTS

OPEN PARCARTS

The integrated **Dolly** on **Open ParCarts** creates stability and allows for the transport of sterile supplies.

ParCarts Accessories (including **ParStor 16" x 24" Baskets** and **Tubs** pages 10-11) are mounted with **Full-Extension Slides** on the available **Slots**. **Open ParCart Frames** are designed from all-welded 1.5" square tubular epoxy-coated steel, and have **Vertical Slots** spaced at .4375" intervals.

Each **Frame** has a **Metal Floor**, four (4) 5" quiet poly-swivel **Casters** – two (2) Swivel and two (2) Brake, and **Donut Bumpers** on the corners. If applicable, a pair of 12" **Vertical Push Handles** protruding 3.125" on one side, are located at a height of 39-51" depending on the model. Each **Slide**, ordered separately, is adjustable without tools to fit the **Frame slots**. **Slanted Sliders** can slant up to four (4) slots.

| OPEN PARCART FRAMES | | |
|---------------------|---------------------------------|--------------------|
| MODEL | DESCRIPTION | D x W x H - IN. |
| 300-V | Single, 30 Slots | 29.5 x 25.5 x 43 |
| 320-V | Double, 60 Slots | 29.5 x 44 x 43 |
| 500H-V | Single, 46 Slots, Push Handles | 29.5 x 25.5 x 58.5 |
| 520H-V | Double, 92 Slots, Push Handles | 29.5 x 44 x 58.5 |
| 600H-V | Single, 61 Slots, Push Handles | 29.5 x 25.5 x 74 |
| 620H-V | Double, 122 Slots, Push Handles | 29.5 x 44 x 74 |



MODEL # 300-V

| OPEN PARCART KITS | | | |
|-------------------|-----------------|--|--------------------|
| MODEL | DESCRIPTION | INCLUDES | D x W x H - IN. |
| 310-V | Single, Short | (1) Stainless Steel Top, (1) 3" Basket, (2) 5" Baskets, (1) 8" Basket, (4) Pairs of Slanted Slides with Safety Stop | 29.5 x 25.5 x 43 |
| 605-V | Single | 600H-V ParCart, (1) Top Basket, (6) Pairs of Slides, (1) Pair Slanted Slides with Stop, (1) 3" Basket, (6) 5" Baskets | 29.5 x 25.5 x 74 |
| 500IV-V | IV Cart, Single | 500H-V ParCart, (5) Pairs of Slides, (1) 5" Basket + (2) Long Dividers, (4) 8" Baskets + (8) Long Dividers | 27.5 x 25.5 x 58.5 |
| 520IV-V | IV Cart, Double | 520H-V ParCart, (1) Double Top Basket, (4) Dividers for LQS Baskets, (10) Pairs of Slides, (2) 5" Baskets + (4) Long Dividers, (8) 8" Baskets + (16) Long Dividers | 28.5 x 44 x 69.5 |



MODEL # 520IV-V

ENCLOSED PARCARTS

ENCLOSED PARCARTS

The integrated **Dolly** on **Enclosed ParCarts** creates stability, allows units to be moved between floors or departments, and is ideal for non-dedicated delivery systems. The frame is all-welded 1.5" square tubular epoxy-coated steel, enclosed with a blue epoxy-coated panel on three (3) sides and the top of the unit, and has **Vertical Slots** spaced at .4375".

ParCarts hold standard **ParStor 16" x 24" Baskets** and **Tubs** (see **Accessories** pages 10-11). The floor is a sturdy metal base with a **Solid Shelf** insert for infection control. Four (4) 5" quiet poly-swivel **Casters**, and **Donut Bumpers** on the corners are standard. The door(s) are 3/8" clear acrylic with (3) three hospital-grade hinges and chrome handles. **Frames** have **Vertical Slots** spaced at .4375".

All **Enclosed ParCarts** include a magnetic catch on the clear acrylic door (double models include two (2) doors). A pair of 12" **Vertical Push Handles** are included, protruding 3.125" on the left side at a height of 39-51".

Accessories are mounted with full-extension **Slides**. Each **Slide** is adjustable, without tools, to fit the **Slots** in the **Frame**. **Slanted Slides** can slant up to four (4) slots.

| ENCLOSED PARCARTS | | |
|-------------------|-------------------------------|------------------|
| MODEL | DESCRIPTION | D x W x H - IN. |
| 500HEN-V | Single, 46 Slots | 29 x 25.5 x 58.5 |
| 520HEN-V | Double, 92 Slots | 29 x 44 x 58.5 |
| 600HEN-V | Single, 61 Slots | 29 x 25.5 x 74 |
| 620HEN-V | Double, 122 Slots | 29 x 44 x 74 |
| 500HEN-KL | Single, 46 Slots, Key Lock | 29 x 25.5 x 58.5 |
| 520HEN-KL | Double, 92, Key Lock | 29 x 44 x 58.5 |
| 500HEN-EL | Single, 46 Slots, eLock | 29 x 25.5 x 58.5 |
| 520HEN-EL | Double, 92 Slots, eLock | 29 x 44 x 58.5 |
| 600HEN-KL | Single, 61 Slots, Key Lock | 29 x 25.5 x 74 |
| 620HEN-KL | Double, 122 Slots, , Key Lock | 29 x 44 x 74 |
| 600HEN-EL | Single, 61 Slots, eLock | 29 x 25.5 x 74 |
| 620HEN-EL | Double, 122 Slots, eLock | 29 x 44 x 74 |



| ENCLOSED PARCART KITS | | | |
|-----------------------|-----------------|--|--------------------|
| MODEL | DESCRIPTION | INCLUDES | D x W x H - IN. |
| 500IV-EN-V | IV Cart, Single | (5) Pairs of Slanted Slides with Stop, (1) 5" Basket + (2) Long Dividers, (4) 8" Baskets + (8) Long Dividers | 27.5 x 25.5 x 58.5 |
| 505EN-V | IV Cart, Single | (6) Pairs of Slanted Slides with Stop, (1) 2" Basket, (4) 5" Baskets, (1) 8" Basket | 27.5 x 25.5 x 58.5 |

PARSTOR® ACCESSORIES

TOPS FOR PARSTOR & PARCART

Stainless Steel Tops are available for **Short ParStor Carts**, creating a nonporous, easy to clean work surface. **Stainless Steel Tops** are also available with a **Handle**.

| TOPS | | |
|----------------|---|-----------------|
| MODEL | DESCRIPTION | D x W x H - IN. |
| TOP-SINGLE-V | Stainless Top for any ParStor or ParCart Units | 24 x 20 x 1 |
| TOP-SINGLE-H-V | Stainless Top with Push Handle (16.75" W) in Front for any ParStor or ParCart Units | 26.75 x 20 x 1 |
| TOP-DOUBLE-V | Stainless Top (Double) for short 31" H ParStor and 300 Series ParCarts | 24.5 x 39 x 1 |
| TOP-DOUBLE-H-V | Epoxy Coated Blue Top for Open ParCart | 24.5 x 39 x 1 |



MODEL # TOP-SINGLE-V



MODEL # TOP-SINGLE-H-V

CHROME WIRE SHELF + STAINLESS STEEL COVER

The **Chrome Wire Shelf** for **Slides** has a 2" lip in rear, a 1" lip in the front for labeling, and occupies two (2) **Slots**. The **Stainless Steel Cover** covers a **Wire Shelf** into a **Solid Shelf**.

| CHROME WIRE SHELF + STAINLESS STEEL COVER | | |
|---|-----------------------------|----------------------|
| MODEL | DESCRIPTION | D x W x H - IN. |
| TU1620RPS-V | Use with Cross Bar CB18JB-V | 24 x 15.5 x 3 |
| TU1620CVR-V | Use Only with TU1620RPS-V | 23.25 x 14.25 x 1.25 |
| TU1420RPS-V | Use with Cross Bar CB16JB-V | 24 x 12.5 x 3 |
| TU1420CVR-V | Use Only with TU140RPS-V | 23.25 x 12.5 x 1.25 |



MODEL # TU1620RPS-V



MODEL # TU1620CVR-V

WIRE SHELF & BASKETS SPECIFICALLY FOR TOP SHELF

LogiQuip offers **Wire Shelves** and **Baskets** that are specifically designed for the top shelf for both **Single** and **Double ParStor Mobile PS68 Series** and **Open ParCarts**.

| PS68 SERIES | | |
|-------------|---|------------------|
| MODEL | DESCRIPTION | D x W x H - IN. |
| BTO-V | Wire Shelf for Top - Rear Lip 2" H, Front Lip 1" H for Labeling | 24.5 x 18.5 x 3 |
| B20-V | Basket That Sits on Top of a Single Mobile Unit | 19.75 x 17.5 x 9 |
| B36-V | Basket That Sits on Top of a Double Mobile Unit, Basket Front is Slanted and 5" H | 19.75 x 35 x 9 |



MODEL # BTO-V



MODEL # B36-V

PARSTOR® ACCESSORIES

CLEAR TUBS & DIVIDERS

These Polycarbonate (PC) **Clear Tubs** for are compatible with **ParStor** and **LogiCell®**, have an exterior dimension of 24" D x 15" W, and are used to store supplies, typically smaller or those with a concern of spills. Each **Tub** includes two (2) safety stops and can be used with standard and wide units. The **Clear Dividers** can be installed to segment the **Tub** for optimization of organization.

| TUBS* | | |
|--------|---------------------------------------|-------|
| MODEL | DESCRIPTION | SLOTS |
| 2TCL16 | For 16" D x 24" W Columns, With Stops | 4 |
| 2TCL24 | For 24" D x 16" W Columns, With Stops | 4 |
| 4TCL16 | For 24" D x 16" W Columns, With Stops | 7 |
| 4TCL24 | For 16" D x 24" W Columns, With Stops | 7 |
| 8TCL16 | For 24" D x 16" W Columns, With Stops | 10 |
| 8TCL24 | For 16" D x 24" W Columns, With Stops | 10 |

| DIVIDERS | | | |
|----------|-------------------|---------------|-------------|
| MODEL | DESCRIPTION | SPEC. OF TUBS | D x H - IN. |
| 2TDLCL | For 2" Tub, Long | Max of 8 | 22 x 2 |
| 2TDSCL | For 2" Tub, Short | Max of 12 | 14 x 2 |
| 4TDLCL | For 4" Tub, Long | Max of 17 | 22 x 4 |
| 4TDSCL | For 4" Tub, Short | Max of 27 | 14 x 4 |
| 8TDLCL | For 8" Tub, Long | Max of 17 | 22 x 8 |
| 8TDSCL | For 8" Tub, Short | Max of 27 | 14 x 8 |

| TUB & DIVER KITS* | |
|-------------------|--|
| MODEL | DESCRIPTION/DIVIDERS |
| 2TCL16D22 | Tub for 16" D x 24" W Columns/2 Long, 2 Short |
| 2TCL24D11 | Tub for 24" D x 16" W Columns/1 Long, 1 Short |
| 2TCL24D12 | Tub for 24" D x 16" W Columns/1 Long, 2 Short |
| 2TCL24D22 | Tub for 24" D x 16" W Columns/2 Long, 2 Short |
| 2TCL24D33 | Tub for 24" D x 16" W Columns/3 Long, 3 Short |
| 4TCL16D22 | Tub for 16" D x 24" W Columns/2 Long, 2 Short |
| 4TCL16D33 | Tub for 16" D x 24" W Columns/3 Long, 3 Short |
| 4TCL24D11 | Tub for 24" D x 16" W Columns/1 Long, 1 Short |
| 4TCL24D12 | Tub for 24" D x 16" W Columns/1 Long, 2 Short |
| 4TCL24D22 | Tub for 24" D x 16" W Columns, 2 Long, 2 Short |
| 4TCL24D33 | Tub for 24" D x 16" W Columns, 3 Long, 3 Short |
| 8TCL24D11 | Tub for 24" D x 16" W Columns/1 Long, 2 Short |
| 8TCL24D12 | Tub for 24" D x 16" W Columns/1 Long, 2 Short |
| 8TCL24D22 | Tub for 24" D x 16" W Columns/2 Long, 2 Short |
| 8TCL24D33 | Tub for 24" D x 16" W Columns/3 Long, 3 Short |

*Max Weight Load – 2T Models is 20 lbs.; 4T Models is 40lbs; 8T Models 50 lbs.

Tub



Long Divider



Short Divider

TUB & DIVIDER KITS

Includes: Tub, Long Divider(s) and Short Divider(s)



FRAME FOR CLEAR TUBS

| MODEL | DESCRIPTION | D x H - IN. |
|--------|--------------------------------------|-------------|
| SLFR-V | Frame required for Clear Tub Storage | 22 x 14 |

PARSTOR® ACCESSORIES

WIRE BASKETS & DIVIDERS



LogiQuip's white epoxy coated steel **Wire Baskets** for **ParStor** and **LogiCell®** have an exterior dimension of 23.6" D x 15.75" W. They are used to store supplies, where the open wire structure providing air circulation is desired. Each **Wire Basket** includes two (2) built-in safety stops. **Dividers** are sold individually or included in the kits to segment the **Basket** for optimization of organization.

| WIRE BASKETS* | | |
|---------------|---------------------------|------------|
| MODEL | DESCRIPTION | SLOTS USED |
| 2B | For 16" D x 24" W Columns | 4 |
| 5B | For 16" D x 24" W Columns | 7 |
| 8B | For 24" D x 16" W Columns | 10 |

| DIVIDERS | | |
|----------|---------------------------|-------------|
| MODEL | DESCRIPTION | D x H - IN. |
| 2BDL | For 2" Wire Basket, Long | 22 x 1.625 |
| 2BDS | For 2" Wire Basket, Short | 14 x 1.625 |
| 5BDL | For 5" Wire Basket, Long | 22 x 4.625 |
| 5BDS | For 5" Wire Basket, Short | 14 x 4.625 |
| 8BDL | For 8" Wire Basket, Long | 22 x 7.5 |
| 8BDS | For 8" Wire Basket, Short | 14 x 7.5 |

| WIRE BASKET & DIVER KITS* | | | |
|---------------------------|-------|-------|-----------------|
| MODEL | MODEL | MODEL | DIVIDERS |
| 2BD11 | 5BD11 | 8BD11 | 1 Long, 1 Short |
| 2BD22 | 5BD22 | 8BD22 | 2 Long, 2 Short |
| 2BD33 | 5BD33 | 8BD33 | 3 Long, 3 Short |

*Max Weight Load – 2B Models is 20 lbs.; 5B Models is 40lbs; 8B Models 50 lbs.



WIRE BASKET & DIVER KIT (Top) Model 2BD11
(Bottom) Includes Models (1) 5B, (1) 5BDL, and (2) 5BDS

EASY ACCESSIBILITY

ParStor Accessories that can be extended 100% for full access to stored supplies and adjusted without tools.



Includes Models (1) 8B, and (1) 8BDS


PARSTOR® ACCESSORIES

Reduce the risk of **Wrapped Instrument Set** contamination with LogiQuip's **NEW ParStor Touchless Transport Basket**. This innovation allows for the movement of **Wrapped Instruments Sets** through the **Sterilization Process** without touching to help remove the risk of snagging or tearing, preventing the contamination of **Sterilized Wrapped Instruments Sets**.

PARSTOR TOUCHLESS TRANSPORT BASKETS AND BRACKETS

Electropolished Stainless Steel Transport Baskets and Brackets are available to retrofit an existing **ParStor Cart**. Up to 14 **Touchless Transport Baskets** can be placed in each column.

| PARSTOR TRANSPORT BASKETS & BRACKETS | | |
|--------------------------------------|--|-----------------|
| MODEL | DESCRIPTION | D x W x H - IN. |
| SPOT3N | ParStor Touchless Transport Basket | 24 x 15 x 3.5 |
| SPOTBR | ParStor Touchless Transport Basket Brackets (Pair) | — |



PARSTOR TOUCHLESS TRANSPORT BASKET KITS + ADD-ONS

LogiQuip's **ParStor Movable Shelving with Touchless Transport Baskets and Brackets** is available as three (3) **Starter Unit Kits** and three (3) **Add-On Unit Kits**. The height is 74.5" to the top of the **Frame** and 76" if you include the lip of the **Top Wire Shelf**. **Shelving Units** should be limited to rolling within the immediate area for things like cleaning. These **Units** are not intended to be moved between departments. All **Units** include four (4) **Cross Bars**, one (1) **Wire Top Shelf**, two (2) **Swivel Casters**, two (2) **Swivel Casters with Brake** and one (1) **Bottom Dust Shield**.

Assembly is required for all **ParStor Shelving**. Contact your Sales Representative to request factory or on-site assembly.

| PARSTOR TRANSPORT BASKET STARTER & ADD-ON KITS | | |
|--|--|-------------|
| STARTER KITS | DESCRIPTION | D x W - IN. |
| PS68SIMN-7 | 7-Tier Starter Kit, 7 Touchless Transport Baskets, 7 Sets of Transport Basket Brackets | 25.5 x 21.5 |
| PS68SIMN-8 | 8-Tier Starter Kit, 8 Touchless Transport Baskets, 8 Sets of Transport Basket Brackets | 25.5 x 21.5 |
| PS68SIMN-9 | 9-Tier Starter Kit, 9 Touchless Transport Baskets, 9 Sets of Transport Basket Brackets | 25.5 x 21.5 |
| ADD-ON KITS | DESCRIPTION | D x W - IN. |
| PS68SIMNA-7 | Add-On Frame connects to 7-Tier Starter Kit and includes 7 Touchless Transport Baskets and 7 Sets of Transport Basket Brackets | 25.5 x 19 |
| PS68SIMNA-8 | Add-On Frame connects to 8-Tier Starter Kit and includes 8 Touchless Transport Baskets and 8 Sets of Transport Basket Brackets | 25.5 x 19 |
| PS68SIMNA-9 | Add-On Frame connects to 9-Tier Starter Kit and includes 9 Touchless Transport Baskets and 9 Sets of Transport Basket Brackets | 25.5 x 19 |


PARSTOR® ACCESSORIES

FRAMES

LogiQuip offers one (1) **Frame** to hold **Trays** and three (3) **Stationary Frames** (only) that do not include **Cross Bars** or **Leveling Feet**.

| FRAMES | | |
|----------|--------------------------------|-------------|
| MODEL | DESCRIPTION | W x H - IN. |
| SLFR-V | Frame for Trays | 15.75 x 1 |
| FR31-VHD | Stationary Frame with 24 Slots | 24 x 31 |
| FR50-VHD | Stationary Frame with 43 Slots | 24 x 50 |
| FR68-VHD | Stationary Frame with 57 Slots | 24 x 68 |

MODEL # FR68-VHD



CROSS BAR

Add four (4) **Cross Bars** to the frames to complete **ParStor** and **ParCart** units. These chrome-plated **Cross Bars** provide a strong, stable connection.

| CROSS BARS | | |
|------------|----------------------------------|-----------------|
| MODEL | DESCRIPTION | D x W x H - IN. |
| CB18JB-V | Standard Cross Bar Frame | .5 x 1.5 x 17.5 |
| CB16JB-V | Narrow Cross Bar for TU1420RPS-V | .5 x 1.5 x 16 |



MODEL # CB18JB-V

SLIDES

Full Extension Ball Bearing Slides can be used along **ParStor** and **ParCart** Frames. Sit our **Wire Baskets**, **Clear Tubs**, or **Waterfall Edge Chrome Wire Shelves** on the hooks for smooth extension and full access to your supplies.

| SLIDES | | |
|--------|---|--------------|
| MODEL | DESCRIPTION | LENGTH - IN. |
| SL-V | Slides (pair) | 24 |
| SLT-V* | Slides for Slanting (pair) with Safety Stop | 24 |

*Can slant up to four (4) slots.



MODEL # SL-V

DUST COVERS

Poly **Dust Covers** can be added to the bottom of each **ParStor** unit for added protection of the supplies at the bottom of the **Cart**.

| BOTTOM DUST SHIELD | | |
|--------------------|-------------------------|--------------|
| MODEL | DESCRIPTION | D x W - IN. |
| INSERT-V | For Standard Size Units | 19.5 x 21.75 |
| INSERTN-V | For Narrow Size Units | 17.5 x 21.75 |




MODEL # INSERTN-V

CASTERS & LEVELING FEET

5" Swivel Casters with and without Brake are designed to be used with ParStor and ParCart units. Leveling Feet are also available for Stationary units.

| CASTERS & LEVELING FEET | |
|-------------------------|----------------------------------|
| MODEL | DESCRIPTION |
| 5C-DS | 5" Swivel Stem Caster |
| 5CB-DS | 5" Swivel Stem Caster with Brake |
| C5 | 5" Plate Caster |
| CB5 | 5" Plate Caster with Brake |
| PSLF | Plug & Leveling Foot |
| PSCAST2* | 2" Swivel Caster |

*Need to order PSCAST2-INSERT



CART COVERS

Cart Covers are available for the 320-V and 600H-V ParCarts. The 600H-V has two handle cut-outs for easy access to the Handles while still protecting the supplies. Specify color and closure type.

| CART COVERS | | |
|-------------|-------------|------------------|
| MODEL | DESCRIPTION | D x W x H - IN. |
| PNC300-V | For 300-V | 24 x 19 x 34.5 |
| PNC320-V | For 320-V | 24.5 x 38.5 x 35 |
| PNC500-V | For 500-V | 24 x 20 x 50 |
| PNC520-V | For 520-V | 24.5 x 38.5 x 50 |
| PNC600-V* | For 600-V | 24.5 x 20 x 66 |
| PNC620-V* | For 620-V | 24.5 x 38.5 x 66 |

*Includes two (2) cut-outs for handles.

3-INCH LABEL HOLDERS

The LH3 3-Inch Label Holder is attached by a strap which is wrapped around a horizontal wire of the Wire Basket. It can be placed in various locations across the front of the Wire Basket. The LH13 Label Holders are mounted by sliding on the full width of the top edge of the Wire Basket or Clear Tub. The clear labeling area is folded over itself to create a protected space for the Label to slide into.



MODEL #
LH3-BLUE

| LABEL HOLDERS | | |
|---------------|--|-------------|
| MODEL | DESCRIPTION | W x H - IN. |
| LH3-COLOR | For Baskets Only: Blue, Red, Pink, Yellow, Orange, Green, Purple, Opaque, Black, Bright White, Stone, Teal, Dark Purple, Berry | 1 x 3 |
| LH132PS | For Baskets and Tubs | 2 x 13.9 |
| LH134PS | For Baskets and Tubs | 2 x 13.9 |




MODEL # LH132PS

MEASURING PARSTOR® & PARCART UNITS


MEASURING PARSTOR & PARCART UNITS


ParStor and ParCart product dimensions are measured at the widest and tallest points of the product. This helps to plan out a room more effectively. Below is an example of the dimensions for a standard ParStor Movable Shelving unit and Add On.

ParStor Movable Shelving Unit



ParStor Movable Shelving Unit and Add On





www.logiquip.com

(800) 665-3760 | customersupport@logiquip.net

6.2022