



ParStor[®]

SYSTEMS



WHY LOGIQUIP®?



Healthcare exclusive since 1992, LogiQuip's **Inventory Management Solutions** are designed for Healthcare Professionals looking for a better way to manage supply chain tasks. With **Expert Advice**, **Innovative Solutions**, and **360° Service** that doesn't stop after the sale, LogiQuip's sole purpose is to ensure Healthcare Professionals have the supplies they need when they need them. Partnering with you to design and implement the right solutions, we give you time back to focus on what's important, Patient Care.

EXPERT ADVICE

With an in-depth understanding of the industry and a focus on **Infection Control** and **Lean Processes**, we partner with you to ensure we design the right solutions for you.

INNOVATIVE SOLUTIONS

Designed with an eye on the horizon, LogiQuip has **Innovative Solutions** that evolve with your facility. Our flexible and efficient options help to ensure you have the supplies you need when you need them.

360° SERVICE

LogiQuip's experienced **Sales Representatives** and **Award-Winning Customer Support Team** provide unparalleled service before, during, and after the sale.



LET US DO THE HEAVY LIFTING

WITH LABOR SHORTAGES AND THE EVER-INCREASING DEMAND TO DO MORE WITH LESS, the **LogiQuip Services Team** can help to decrease that burden with turnkey solutions to help ensure you have the supplies you need when you need them.

PROJECT MANAGEMENT

From our initial meeting with you through implementation, a LogiQuip **Services Team Member** will be assigned as your **Project Manager**, working with you every step of the way. Your **Project Manager** will serve as your single point of contact during the project life cycle. Together we will develop and implement project milestones until the work is complete. Contact your **Sales Representative** or call **(800) 665-3760** for more information.

ON-SITE ANALYSIS

Working with your LogiQuip **Representative**, an on-site analysis will be done to ensure that the **Project Manager** has a complete understanding of your current environment. During our on-site analysis we will review your current state, identify gaps, and align on the goals of the project.

PLANNING

Using a mix of innovative products, Lean principles, tried and true methods, and out of the box thinking, LogiQuip will provide a holistic plan with turnkey solutions to minimize downtime while decreasing your storage footprint and increasing PAR levels.

INSTALLATION & CONVERSION

LogiQuip is dedicated to providing on-time delivery, efficient installation, and supply conversion to minimize down time and time on site to get you up and running as quickly as possible.

ONGOING SUPPORT

With the project complete, we want to help you sustain the changes that have been made. With **Annual Inventory Reviews**, **Preventative Maintenance Plans**, and **Field Service** for in warranty and out of warranty repairs, we have you covered to keep things running smoothly.

TABLE OF CONTENTS

TABLE OF CONTENTS

WHY LOGIQUIP®?	2
LOGIQUIP SERVICES TEAM	3
PARSTOR® SERIES FEATURES & BENEFITS	5
PARSTOR PRODUCT LINE COMPARISON	6
PARSTOR MOVABLE SHELVING SYSTEMS	7
MEASURING PARSTOR & PARCART UNITS	8
PARSTOR SHORT & STATIONARY SHELVING SYSTEMS	9
OPEN PARCARTS	10
ENCLOSED PARCARTS	11
PARSTOR ACCESSORIES	12-19
STAINLESS STEEL TOPS FOR PARSTOR & PARCART	13
CHROME WIRE SHELVES	13
WIRE SHELF & BASKETS SPECIFICALLY FOR TOP SHELF	13
CLEAR TUBS & DIVIDERS	14
WIRE BASKETS & DIVIDERS	15
TOUCHLESS TRANSPORT BASKETS, KITS & ADD-ONS	16
FRAMES, CROSS BAR, SLIDES & DUST COVERS	17
CASTERS, LEVELING FEET & CART COVERS	18
LABELS	18-19

PARSTOR® SERIES

LogiQuip's **ParStor Series** is ideal for use in **Sterile Processing Departments (SPD)** and **Operating Rooms (OR)** to store surgical instruments, peel pouches, and sutures. Our highest-density storage system, **ParStor** is designed to be used where space is at a premium. With a variety of storage accessories that extend 100%, you will have full access to your supplies when needed. If you are looking for a mobile option, our **ParCarts** are made to move. Built on a sturdy **Dolly Platform** with **5" Casters**, large quantities of supplies can be transported over thresholds and throughout your facility with ease.

MAXIMIZE STORAGE DENSITY

Ideal for small storage areas, our **ParStor Series** utilizes every inch of vertical storage space to maximize storage capacity. The tall, **All-Welded Frames** are outfitted with **Chrome Slides** that can be mounted **Straight** or at an **Angle**. **ParStor Frames** have **Notches** to allow **Slides** and **Accessories** to be mounted at 1" intervals.

FLEXIBLE CONFIGURATIONS

LogiQuip's **ParStor Line** is available in multiple configurations to accommodate high-density storage in any situation. **ParStor Units** come in **Stationary** and **Movable** when you need to store supplies in place. Our **ParCarts** provide **Mobile** options when you need to move supplies from location to location. **ParCarts** come in **Open** or **Enclosed**, **Single-** and **Double-Wide**, and come in three heights.

CUSTOMIZE WITH ACCESSORIES

ParStor Slides accept several **Accessories** that can be extended 100% for full access to stored supplies and adjusted without tools. **Chrome Plated Waterfall Edge Shelves** are available for instrument storage that minimizes snags and tears. In addition, our **LogiCell Wire Baskets** and **Clear Tubs** are available with and without **Dividers** to fully customize your **ParStor Unit**.

LIMITED 5-YEAR WARRANTY

LogiQuip products are covered by a **Limited 5-Year Warranty** from date of receipt against defect in materials or workmanship under normal use and service, excluding **Electronic Components, Cart Covers, Custom Products, LogiCell Tambour Doors, Label Holders, and Casters**. During this period, LogiQuip will, in its sole discretion, repair defects in materials or workmanship that existed when the product was received or replace the product. If the product is replaced, the new product will be warranted for the remaining term of the original product warranty period. Visit LogiQuip.com/Warranty for more details.



ParStor Mobile Cart



Open ParCart



Enclosed ParCart

PARSTOR® PRODUCT LINE

WHAT'S THE DIFFERENCE?

While all ParStor Storage Systems give you our highest density storage in small spaces, there are some differences between ParStor and ParCarts that you need to consider when deciding which solution is right for you. See the chart below to compare all ParStor options.



ParStor Movable Shelving units are the right solution when your supplies can remain in one location. These units can be moved for cleaning.



ParStor ParCarts are the perfect solution when you need to transport supplies department-to-department. Built on a Dolly Base, this sturdy option is built to move.



Building on our ParStor ParCarts, this enclosed option is perfect for when supplies may be exposed to contaminants during transport.

PARSTORE PRODUCT LINE COMPARISON

FEATURES	PARSTOR ON CASTERS	PARCARTS OPEN	PARCARTS ENCLOSED
DOLLY BASE	No	Yes	Yes
USE FOR TRANSPORT	No	Yes	Yes
COMPATIBLE WITH SHELVES, BASKETS, AND BINS	Yes	Yes	Yes
OPEN STORAGE	Yes	Yes	No
ENCLOSED STORAGE	No	No	Yes
SECURITY OPTIONS	No	No	eLock & Keylock Available
DEPARTMENT USE	SPD OR CORE Clean Supply Room	Materials Management Supply Chain	OR OR Core SPD
USES	Instrument Storage Sterile Wrap Storage	Sterile Supplies IV Solutions Instrument Containers Implants	Sterile Supplies IV Solutions Instrument Containers Implants

PARSTOR® MOVABLE SHELVING SYSTEMS

PARSTOR MOVABLE SHELVING

LogiQuip's **ParStor Movable Shelving** is a complete system with two add-ons for each starter, and ideal for storing sterile containers. The height is 74.5" to the top of the **Frame** and 76" if you include the lip of the **Top Wire Shelf**. **Shelving** units should be limited to rolling within the immediate area for things like cleaning.

These units are not intended to be moved between departments. **Accessories** are mounted with **Full-Extension Slides** that are adjustable without tools to fit the **Vertical Slots** in the **Frame**. **Slanted Slides** can slant up to four (4) slots. All units include four (4) **Cross Bars**, one (1) **Wire Top Shelf**, and one (1) **Bottom Dust Shield**.

Assembly is required for all **ParStor Shelving**. Contact your representative to request factory or on-site assembly.



MODEL # NPS68CSM


PARSTOR MOVABLE SHELVING SYSTEMS			
MODEL	DESCRIPTION	INCLUDES	D x W - IN.
NPS68CSM	Narrow Size Starter Unit With Top Shelf	(2) 57-Slot Frames, (7) Pairs of Slides, (7) Narrow Waterfall Shelves, (4) 5" Casters - (2) Swivel, (2) Brake, (1) Bag of 50 Label Holders	25.5 x 19.75
NPS68CSMA	Narrow Size Add-On Unit With Top Shelf	(1) 57-Slot Frame, (7) Pairs of Slides, (7) Narrow Waterfall Shelves, (2) 5" Casters - (1) Swivel, (1) Brake, (1) Bag of 50 Label Holders	25.5 x 17.875
PS68CSMN	Narrow Size Starter Unit (No Top Shelf)	(2) 57-Slot Frames, (7) Pairs of Slides, (7) Narrow Waterfall Shelves, (4) 5" Casters - (2) Swivel, (2) Brake, (1) Bag of 50 Label Holders	25.5 x 19.75
PS68CSMNA	Narrow Size Add-On Unit (No Top Shelf)	(1) 57-Slot Frame, (7) Pairs of Slides, (7) Narrow Waterfall Shelves, (2) 5" Casters - (1) Swivel, (1) Brake, (1) Bag of 50 Label Holders	25.5 x 17.875
PS68EM	Base Starter Unit	(5) 5" Baskets with (5) Long and (5) Short Dividers, (1) 8" Basket with (1) Long Divider, (4) 5" Casters - (2) Swivel, (2) Brake	25.5 x 21.5
PS68M	Starter Unit	(2) 57-Slot Frames, (7) Pairs of Slides, (1) Pair Slanted Slides with Safety Stop, (1) 5" Tray with Frame + (2) Long Dividers and Short Dividers, (1) 3" Basket + (2) Long and Short Dividers, (5) 5" Baskets + (5) Long and (10) Short Dividers, (1) 8" Basket + (1) Long and Short Dividers, (4) Casters - (2) Swivel/(2) Brake, (50) LH3 Label Holders	25.5 x 21.5
PS68MA	Add-On Unit	Same as PS68M without (1) Frame and (2) Casters	25.5 x 19
PS68PM	Add-On Starter Unit	(1) 3" Clear Tub with (2) Long and (2) Short Dividers, (2) Slanted Slides with Safety Stop, (6) 5" Clear Tubs with (6) Long and (6) Short Dividers, (1) 8" Clear Tub with (1) Long and (1) Short Divider, (4) 5" Casters - (2) Swivel, (2) Brake, (50) LH3 Label Holders	25.5 x 19
PS68IRM	Peel Pouch Instrument Storage Starter Unit	(2) 57-Slot Frames, (7) Pairs of Slides, (7) 5" Baskets + (10) Long and (36) Short Dividers, (4) Casters - (2) Swivel/(2) Brake, (50) LH3 Label Holders	25.5 x 21.5
PS68IRMA	Peel Pouch Add-On	Same as PS68IRM without (1) Frame and (2) Casters	25.5 x 19
PS68IVMA	Peel Pouch Add-On Unit	(1) 5" Basket with (2) Long Dividers, (4) 8" Baskets with (8) Long Dividers, (2) 5" Casters - (1) Swivel, (1) Brake, (50) LH3 Label Holders	25.5 x 19
PS68CSM	Container Storage Starter Unit	(2) 57-Slot Frames, (4) Casters - (2) Swivel/(2) Brake, (7) Pairs of Slides, (7) Wire Shelves, (50) LH3 Label Holders	25.5 x 21.5
PS68CSMA	Container Storage Add-On	Same as PS68CSM without (1) Frame and (2) Casters	25.5 x 19
FR68M	Starter Kit on Casters	(2) 57-Slot Frames, (4) Casters - (2) Swivel/(2) Brake, Note: Sides Not Included	25.5 x 21.5
FR68MA	Add-On Unit on Casters	Same as FR68M without (1) Frame and (2) Casters	25.5 x 19

MEASURING PARSTOR® & PARCART UNITS


MEASURING PARSTOR & PARCART UNITS

ParStor and ParCart product dimensions are measured at the widest and tallest points of the product. This helps to plan out a room more effectively. Below is an example of the dimensions for a standard ParStor Movable Shelving unit and Add On.

ParStor Movable Shelving Unit



ParStor Movable Shelving Unit and Add On



PARSTOR® SHORT & STATIONARY SHELVING SYSTEMS

PARSTOR SHORT CART

Ideal for under-table storage, this **ParStor Short Cart** provides high-density storage when every inch counts. A **Stainless Steel Top with Handle** (see **Accessories** on page 13) can also be added for additional workspace.

PARSTOR SHORT CART			
MODEL	DESCRIPTION	INCLUDES	D x W x H - IN.
PS31MSCU	ParStor Short Cart	(2) 3" Tubs + (2) Short and (2) Long Dividers, (2) 5" Tubs + (2) Short and (2) Long Dividers, (4) 2" Swivel Casters	25.5 x 21.5 x 31


PARSTOR STATIONARY SHELVING

The **Stationary ParStor Starter** unit comes with everything you need to get up and running. When more space is needed, pair the **Add-On** unit with the **Starter** unit for a complete solution. The height is 68.5" to the top of the Frame and 71" if you include the lip of the **Top Wire Shelf**.

Accessories are mounted with **Full-Extension Slides** which are fully adjustable without tools to fit the **Vertical Slots** in the **Frame**. **Slanted Slides** can slant up to four (4) slots. All units include four (4) **Cross Bars**, one (1) **Wire Top Shelf**, and one (1) **Bottom Dust Shield**.

Assembly is required for all **ParStor Shelving**. Contact your representative to request factory or on-site assembly.

MODEL # PS68S



PARSTOR STATIONARY SHELVING SYSTEMS			
MODEL	DESCRIPTION	INCLUDES	D x W - IN.
FR68S	Stationary Frame	(2) 57-Slot Frames, (4) Leveling Feet, (1) Top Shelf, Does NOT Include Slides or Other Shelves	24 x 19.5
FR68SA	Stationary Frame Add-On Unit	Same as FR68S without (1) Frame and (2) Leveling Feet	24 x 19.5
PS68S	Stationary Starter Unit	(2) 57-Slot Frames, (4) Leveling Feet, (7) Pairs of Slides, (1) Pair Slated Slide and Stop, (1) 3" Basket + (2) Long and Short Dividers, (5) 5" Baskets + (5) Long and (10) Short Dividers, (1) 8" Basket + (1) Long and Short Divider, (1) 5" Tray with Frame + (2) Long and Short Dividers, (25) LH3 Label Holders	24 x 19.5
PS68SA	Stationary Add-On Unit	Same as FR68M without (1) Frame and (2) Leveling Feet	24 x 18.5

OPEN PARCARTS

OPEN PARCARTS

The integrated **Dolly** on **Open ParCarts** creates stability and allows for the transport of sterile supplies.

ParCarts Accessories (including **ParStor 16" x 24" Baskets** and **Tubs** pages 14-15) are mounted with **Full-Extension Slides** on the available **Slots**. **Open ParCart Frames** are designed from all-welded 1.5" square tubular epoxy-coated steel, and have **Vertical Slots** spaced at .4375" intervals.

Each **Frame** has a **Metal Floor**, four (4) 5" quiet poly-swivel **Casters** – two (2) Swivel and two (2) Brake, and **Donut Bumpers** on the corners. If applicable, a pair of 12" **Vertical Push Handles** protruding 3.125" on one side, are located at a height of 39-51" depending on the model. Each **Slide**, ordered separately, is adjustable without tools to fit the **Frame** slots. **Slanted Sliders** can slant up to four (4) slots.

OPEN PARCART FRAMES		
MODEL	DESCRIPTION	D x W x H - IN.
300-V	Single, 30 Slots	29.5 x 25.5 x 43
320-V	Double, 60 Slots	29.5 x 44 x 43
500H-V	Single, 46 Slots, Push Handles	29.5 x 25.5 x 58.5
520H-V	Double, 92 Slots, Push Handles	29.5 x 44 x 58.5
600H-V	Single, 61 Slots, Push Handles	29.5 x 25.5 x 74
620H-V	Double, 122 Slots, Push Handles	29.5 x 44 x 74



MODEL # 300-V

OPEN PARCART KITS			
MODEL	DESCRIPTION	INCLUDES	D x W x H - IN.
310-V	Single, Short	(1) 300-V ParCart Stainless Steel Top, (1) 3" Basket, (2) 5" Baskets, (1) 8" Basket, (4) Pairs of Slides with Safety Stop	29.5 x 25.5 x 43
605-V	Single	600H-V ParCart, (1) Top Basket, (6) Pairs of Slides, (1) Pair Slanted Slides with Stop, (1) 3" Basket, (6) 5" Baskets	29.5 x 25.5 x 74
500IV-V	IV Cart, Single	500H-V ParCart, (5) Pairs of Slides, (1) 5" Basket + (2) Long Dividers, (4) 8" Baskets + (8) Long Dividers	27.5 x 25.5 x 58.5
520IV-V	IV Cart, Double	520H-V ParCart, (1) Double Top Basket, (4) Dividers for LQS Baskets, (10) Pairs of Slides, (2) 5" Baskets + (4) Long Dividers, (8) 8" Baskets + (16) Long Dividers	28.5 x 44 x 69.5



MODEL # 520IV-V

ENCLOSED PARCARTS

ENCLOSED PARCARTS

The integrated **Dolly** on **Enclosed ParCarts** creates stability, allows units to be moved between floors or departments, and is ideal for non-dedicated delivery systems. The frame is all-welded 1.5" square tubular epoxy-coated steel, enclosed with a blue epoxy-coated panel on three (3) sides and the top of the unit, and has **Vertical Slots** spaced at .4375".

ParCarts hold standard **ParStor 16" x 24" Baskets** and **Tubs** (see **Accessories** pages 14-15). The floor is a sturdy metal base with a **Solid Shelf** insert for infection control. Four (4) 5" quiet poly-swivel **Casters**, and **Donut Bumpers** on the corners are standard. The door(s) are 3/8" clear acrylic with (3) three hospital-grade hinges and chrome handles. **Frames** have **Vertical Slots** spaced at .4375".

All **Enclosed ParCarts** include a magnetic catch on the clear acrylic door (double models include two (2) doors). A pair of 12" **Vertical Push Handles** are included, protruding 3.125" on the left side at a height of 39-51".

Accessories are mounted with full-extension **Slides**. Each **Slide** is adjustable, without tools, to fit the **Slots** in the **Frame**. **Slides** with **Safety Stop** can be positioned at an angle or perpendicular to the **Cabinet**. When slanted they can slant up to four (4) slots.

ENCLOSED PARCARTS		
MODEL	DESCRIPTION	D x W x H - IN.
500HEN-V	Single, 46 Slots	29 x 25.5 x 58.5
520HEN-V	Double, 92 Slots	29 x 44 x 58.5
600HEN-V	Single, 61 Slots	29 x 25.5 x 74
620HEN-V	Double, 122 Slots	29 x 44 x 74
500HEN-KL	Single, 46 Slots, Key Lock	29 x 25.5 x 58.5
520HEN-KL	Double, 92, Key Lock	29 x 44 x 58.5
500HEN-EL	Single, 46 Slots, eLock	29 x 25.5 x 58.5
520HEN-EL	Double, 92 Slots, eLock	29 x 44 x 58.5
600HEN-KL	Single, 61 Slots, Key Lock	29 x 25.5 x 74
620HEN-KL	Double, 122 Slots, , Key Lock	29 x 44 x 74
600HEN-EL	Single, 61 Slots, eLock	29 x 25.5 x 74
620HEN-EL	Double, 122 Slots, eLock	29 x 44 x 74




ENCLOSED PARCART KITS			
MODEL	DESCRIPTION	INCLUDES	D x W x H - IN.
500IV-EN-V	IV Cart, Single	(5) Pairs of Slanted Slides with Stop, (1) 5" Basket + (2) Long Dividers, (4) 8" Baskets + (8) Long Dividers	27.5 x 25.5 x 58.5
505EN-V	IV Cart, Single	(6) Pairs of Slanted Slides with Stop, (1) 2" Basket, (4) 5" Baskets, (1) 8" Basket	27.5 x 25.5 x 58.5

PARSTOR® SERIES

PARSTOR CARTS

ParStor Carts can be customized with a variety of optional Accessories, including **Waterfall Edge Shelves**, **Wire Baskets**, and **Clear Tubs** which all fully extend for easy access. In addition our **Touchless Transport Baskets** allow you to move wrapped instrument sets through the sterilization process without touching them to help remove contamination risk.



Scan QR Code to see product details.



PARSTOR® ACCESSORIES

TOPS FOR PARSTOR & PARCART

Stainless Steel Tops are available for **Short ParStor Carts**, creating a nonporous, easy to clean work surface. **Stainless Steel Tops** are also available with a **Handle**.

TOPS		
MODEL	DESCRIPTION	D x W x H - IN.
TOP-SINGLE-V	Stainless Top for any ParStor or ParCart Units	24 x 20 x 1
TOP-SINGLE-H-V	Stainless Top with Push Handle (16.75" W) in Front for any ParStor or ParCart Units	26.75 x 20 x 1
TOP-DOUBLE-V	Stainless Top (Double) for short 31" H ParStor and 300 Series ParCarts	24.5 x 39 x 1
TOP-DOUBLE-H-V	Epoxy Coated Blue Top for Open ParCart	24.5 x 39 x 1



MODEL # TOP-SINGLE-V



MODEL # TOP-SINGLE-H-V

CHROME WIRE SHELF + STAINLESS STEEL COVER

The **Chrome Wire Shelf for Slides** has a 2" lip in rear, a 1" lip in the front for labeling, and occupies two (2) Slots. The **Stainless Steel Cover** covers a **Wire Shelf** into a **Solid Shelf**.

CHROME WIRE SHELF + STAINLESS STEEL COVER		
MODEL	DESCRIPTION	D x W x H - IN.
TU1620RPS-V	Use with Cross Bar CB18JB-V	24 x 15.5 x 3
TU1620CVR-V	Use Only with TU1620RPS-V	23.25 x 14.25 x 1.25
TU1420RPS-V	Use with Cross Bar CB16JB-V	24 x 12.5 x 3
TU1420CVR-V	Use Only with TU140RPS-V	23.25 x 12.5 x 1.25



MODEL # TU1620RPS-V



MODEL # TU1620CVR-V

WIRE SHELF & BASKETS SPECIFICALLY FOR TOP SHELF

LogiQuip offers **Wire Shelves** and **Baskets** that are specifically designed for the top shelf for both **Single** and **Double ParStor Mobile PS68 Series** and **Open ParCarts**.

PS68 SERIES		
MODEL	DESCRIPTION	D x W x H - IN.
BTO-V	Wire Shelf for Top - Rear Lip 2" H, Front Lip 1" H for Labeling	24.5 x 18.5 x 3
B20-V	Basket That Sits on Top of a Single Mobile Unit	19.75 x 17.5 x 9
B36-V	Basket That Sits on Top of a Double Mobile Unit, Basket Front is Slanted and 5" H	19.75 x 35 x 9



MODEL # BTO-V



MODEL # B36-V

CLEAR TUBS & DIVIDERS

These Polycarbonate (PC) **Clear Tubs** for **LogiCell** have an exterior dimension of 24" D x 16" W, and are used to store supplies, typically smaller or those with a concern of spills. Each **Tub** includes two (2) **Safety Stops** and can be used with standard and wide units. The **Clear Dividers** can be installed to segment the **Tub** for optimization of organization.

TUBS* WITH SAFETY STOPS		
MODEL	DESCRIPTION	SLOTS USED
2TCL24	For 24" D x 16" W Columns	1, 4 if slanted
4TCL24	For 16" D x 24" W Columns	2, 5 if slanted
8TCL24	For 16" D x 24" W Columns	3, 6 if slanted

DIVIDERS		
MODEL	DESCRIPTION	D x H - IN.
2TDLCL	For 2" Tub, Long	22 x 2
2TDSCL	For 2" Tub, Short	14 x 2
4TDLCL	For 4" Tub, Long	22 x 4
4TDSCL	For 4" Tub, Short	14 x 4
8TDLCL	For 8" Tub, Long	22 x 8
8TDSCL	For 8" Tub, Short	14 x 8

TUB & DIVIDER KITS*		
MODEL FOR 16" D x 24" W COLUMNS	MODEL FOR 24" D x 16" W COLUMNS	DESCRIPTION/ DIVIDERS
2TCL16D11	2TCL24D11	2" Tub/1 Long, 1 Short
2TCL16D12	2TCL24D12	2" Tub/1 Long, 2 Short
2TCL16D22	2TCL24D22	2" Tub/2 Long, 2 Short
2TCL16D33	2TCL24D33	2" Tub/3 Long, 3 Short
4TCL16D11	4TCL24D11	4" Tub/1 Long, 1 Short
4TCL16D12	4TCL24D12	4" Tub/1 Long, 2 Short
4TCL16D22	4TCL24D22	4" Tub/1 Long, 2 Short
4TCL16D22	4TCL24D22	4" Tub/2 Long, 2 Short
4TCL16D33	4TCL24D33	4" Tub/3 Long, 3 Short
8TCL16D11	8TCL24D11	8" Tub /1 Long, 1 Short
8TCL16D12	8TCL24D12	8" Tub/1 Long, 2 Short
8TCL16D22	8TCL24D22	8" Tub/1 Long, 2 Short
8TCL16D22	8TCL24D22	8" Tub/2 Long, 2 Short
8TCL16D33	8TCL24D33	8" Tub/3 Long, 3 Short

FRAME FOR CLEAR TUBS		
MODEL	DESCRIPTION	D x H - IN.
SLFR-V	Frame required for Clear Tub Storage	22 x 14



8TCL24



2TDSCL



4TDSCL



8TCL16D11



SLFR-V

*Max Weight Load – 2T Models is 20 lbs.; 4T Models is 40lbs; 8T Models 50 lbs.

PARSTOR® ACCESSORIES

WIRE BASKETS & DIVIDERS

LogiQuip's white epoxy coated steel **Wire Baskets** for **ParStor** and **LogiCell®** have an exterior dimension of 23.6" D x 15.75" W. They are used to store supplies, where the open wire structure providing air circulation is desired. Each **Wire Basket** has two (2) built-in safety stops. **Dividers** are sold individually or included in the kits to segment the **Basket** for optimization of organization.

WIRE BASKETS*		
MODEL	DESCRIPTION	SLOTS USED
2B	For 16" D x 24" W Columns	1, 5 if slanted
5B	For 16" D x 24" W Columns	2, 6 if slanted
8B	For 24" D x 16" W Columns	3, 7 if slanted

DIVIDERS		
MODEL	DESCRIPTION	D x H - IN.
2BDL	For 2" Wire Basket, Long	22 x 1.625
2BDS	For 2" Wire Basket, Short	14 x 1.625
5BDL	For 5" Wire Basket, Long	22 x 4.625
5BDS	For 5" Wire Basket, Short	14 x 4.625
8BDL	For 8" Wire Basket, Long	22 x 7.5
8BDS	For 8" Wire Basket, Short	14 x 7.5

WIRE BASKET & DIVIDER KITS*	
MODEL	DIVIDERS
2BD11	1 Long, 1 Short
2BD12	1 Long, 2 Short
2BD22	2 Long, 2 Short
2BD33	3 Long, 3 Short
5BD11	1 Long, 1 Short
5BD12	1 Long, 2 Short
5BD22	2 Long, 2 Short
5BD33	3 Long, 3 Short
8BD11	1 Long, 1 Short
8BD12	1 Long, 2 Short
8BD22	2 Long, 2 Short
8BD33	3 Long, 3 Short



5B



5BDL



8BDS



WIRE BASKET & DIVIDER KIT (Top) Model 2BD11
(Bottom) Includes Models (1) 5B, (1) 5BDL, and (2) 5BDS



Includes Models (1) 8B, and (1) 8BDS

EASY ACCESSIBILITY

ParStor Accessories that can be extended 100% for full access to stored supplies and adjusted without tools.

*Max Weight Load – 2B Models is 20 lbs.; 5B Models is 40lbs; 8B Models 50 lbs.


PARSTOR® ACCESSORIES

Reduce the risk of **Wrapped Instrument Set** contamination with LogiQuip's **NEW ParStor Touchless Transport Basket**. This innovation allows for the movement of **Wrapped Instruments Sets** through the **Sterilization Process** without touching to help remove the risk of snagging or tearing, preventing the contamination of **Sterilized Wrapped Instruments Sets**.

PARSTOR TOUCHLESS TRANSPORT BASKETS AND BRACKETS

Electropolished Stainless Steel Transport Baskets and Brackets are available to retrofit an existing **ParStor Cart**. Up to 14 **Touchless Transport Baskets** can be placed in each column.

PARSTOR TRANSPORT BASKETS & BRACKETS		
MODEL	DESCRIPTION	D x W x H - IN.
SPOT3N	ParStor Touchless Transport Basket	24 x 15 x 3.5
SPOTBR	ParStor Touchless Transport Basket Brackets (Pair)	—



PARSTOR TOUCHLESS TRANSPORT BASKET KITS + ADD-ONS

LogiQuip's **ParStor Movable Shelving with Touchless Transport Baskets and Brackets** is available as three (3) **Starter Unit Kits** and three (3) **Add-On Unit Kits**. The height is 74.5" to the top of the **Frame** and 76" if you include the lip of the **Top Wire Shelf**. **Shelving Units** should be limited to rolling within the immediate area for things like cleaning. These **Units** are not intended to be moved between departments. All **Units** include four (4) **Cross Bars**, one (1) **Wire Top Shelf**, two (2) **Swivel Casters**, two (2) **Swivel Casters with Brake** and one (1) **Bottom Dust Shield**.

Assembly is required for all **ParStor Shelving**. Contact your Sales Representative to request factory or on-site assembly.

PARSTOR TRANSPORT BASKET STARTER & ADD-ON KITS		
STARTER KITS	DESCRIPTION	D x W - IN.
PS68SIMN-7	7-Tier Starter Kit, 7 Touchless Transport Baskets, 7 Sets of Transport Basket Brackets	25.5 x 21.5
PS68SIMN-8	8-Tier Starter Kit, 8 Touchless Transport Baskets, 8 Sets of Transport Basket Brackets	25.5 x 21.5
PS68SIMN-9	9-Tier Starter Kit, 9 Touchless Transport Baskets, 9 Sets of Transport Basket Brackets	25.5 x 21.5
ADD-ON KITS	DESCRIPTION	D x W - IN.
PS68SIMNA-7	Add-On Frame connects to 7-Tier Starter Kit and includes 7 Touchless Transport Baskets and 7 Sets of Transport Basket Brackets	25.5 x 19
PS68SIMNA-8	Add-On Frame connects to 8-Tier Starter Kit and includes 8 Touchless Transport Baskets and 8 Sets of Transport Basket Brackets	25.5 x 19
PS68SIMNA-9	Add-On Frame connects to 9-Tier Starter Kit and includes 9 Touchless Transport Baskets and 9 Sets of Transport Basket Brackets	25.5 x 19


PARSTOR® ACCESSORIES

FRAMES

LogiQuip offers one (1) **Frame** to hold **Trays** and three (3) **Stationary Frames** (only) that do not include **Cross Bars** or **Leveling Feet**.

FRAMES		
MODEL	DESCRIPTION	W x H - IN.
SLFR-V	Frame for Trays	15.75 x 1
FR31-VHD	Stationary Frame with 24 Slots	24 x 31
FR50-VHD	Stationary Frame with 43 Slots	24 x 50
FR68-VHD	Stationary Frame with 57 Slots	24 x 68

MODEL # FR68-VHD



CROSS BAR

Add four (4) **Cross Bars** to the frames to complete **ParStor** and **ParCart** units. These chrome-plated **Cross Bars** provide a strong, stable connection.

CROSS BARS		
MODEL	DESCRIPTION	D x W x H - IN.
CB18JB-V	Standard Cross Bar Frame	.5 x 1.5 x 17.5
CB16JB-V	Narrow Cross Bar for TU142ORPS-V	.5 x 1.5 x 16



MODEL # CB18JB-V

SLIDES

Full Extension Ball Bearing Slides can be used along **ParStor** and **ParCart** Frames. Sit our **Wire Baskets**, **Clear Tubs**, or **Waterfall Edge Chrome Wire Shelves** on the hooks for smooth extension and full access to your supplies.

SLIDES		
MODEL	DESCRIPTION	LENGTH - IN.
SL-V	Slides (pair)	24
SLT-L*	Slanted Slides (pair) with Safety Stop	24

*Can slant up to four (4) slots.



MODEL # SL-V



MODEL # SL-L



DUST COVERS

Poly **Dust Covers** can be added to the bottom of each **ParStor** unit for added protection of the supplies at the bottom of the **Cart**.

BOTTOM DUST SHIELD		
MODEL	DESCRIPTION	D x W - IN.
INSERT-V	For Standard Size Units	19.5 x 21.75
INSERTN-V	For Narrow Size Units	17.5 x 21.75

MODEL # INSERTN-V



PARSTOR® ACCESSORIES

CASTERS & LEVELING FEET

5" Swivel Casters with and without Brake are designed to be used with ParStor and ParCart units. Leveling Feet are also available for Stationary units.

CASTERS & LEVELING FEET	
MODEL	DESCRIPTION
5C-DS	5" Swivel Stem Caster
5CB-DS	5" Swivel Stem Caster with Brake
C5	5" Plate Caster
CB5	5" Plate Caster with Brake
PSLF	Plug & Leveling Foot
PSCAST2*	2" Swivel Caster

*Need to order PSCAST2-INSERT



CART COVERS

Cart Covers are available for the 320-V and 600H-V ParCarts. The 600H-V has two handle cut-outs for easy access to the Handles while still protecting the supplies. Specify color and closure type.

CART COVERS		
MODEL	DESCRIPTION	D x W x H - IN.
PNC300-V	For 300-V	24 x 19 x 34.5
PNC320-V	For 320-V	24.5 x 38.5 x 35
PNC500-V	For 500-V	24 x 20 x 50
PNC520-V	For 520-V	24.5 x 38.5 x 50
PNC600-V*	For 600-V	24.5 x 20 x 66
PNC620-V*	For 620-V	24.5 x 38.5 x 66

*Includes two (2) cut-outs for handles.

LH13 LABEL HOLDERS

The LH13 Label Holders are mounted by sliding on the full width of the top edge of the Wire Basket or Clear Tub. The clear labeling area is folded over itself to create a protected space for the Label to slide into.



MODEL # LH132PS

LH13 LABEL HOLDERS		
MODEL	DESCRIPTION	W x H - IN.
LH132PS	For Baskets and Tubs	2 x 13.9
LH134PS-TD	For Baskets and Tubs	4 x 13.9

PARSTOR® ACCESSORIES

3-INCH LABEL HOLDERS

The LH3 3-Inch Label Holder is compatible with **ParStorWire Shelving**, our variety of **3-Inch Label Holder** colors aid in color coding inventory, making supplies easier to find. These 1" W x 3" H **Label Holders** include a loop for attaching to **Shelves** or **Baskets**, come in bags of 50. Choose from 8 colors; Blue, Red, Pink, Yellow, Orange, Green, Purple, and Opaque.

3-INCH LABEL HOLDERS	
MODEL	COLOR
LH3-BLUE	Blue
LH3-RED	Red
LH3-PINK	Pink
LH3-YELLOW	Yellow
LH3-ORANGE	Orange
LH3-GREEN	Green
LH3-PURPLE	Purple
LH3	Opaque



Blue



Red



Pink



Yellow



Orange



Green



Purple



Opaque

(Actual color may vary, depending on your monitor setting or press run.)



MODEL #
LH3-BLUE





www.logiquip.com

(800) 665-3760 | customersupport@logiquip.net

9.2023