



# ParStor<sup>®</sup>

## SYSTEMS



# WHY LOGIQUIP®?



Healthcare exclusive since 1992, LogiQuip's **Inventory Management Solutions** are designed for Healthcare Professionals looking for a better way to manage supply chain tasks. With **Expert Advice**, **Innovative Solutions**, and **360° Service** that doesn't stop after the sale, LogiQuip's sole purpose is to ensure Healthcare Professionals have the supplies they need when they need them. Partnering with you to design and implement the right solutions, we give you time back to focus on what's important, Patient Care.

## EXPERT ADVICE

With an in-depth understanding of the industry and a focus on **Infection Control** and **Lean Processes**, we partner with you to ensure we design the right solutions for you.

## INNOVATIVE SOLUTIONS

Designed with an eye on the horizon, LogiQuip has **Innovative Solutions** that evolve with your facility. Our flexible and efficient options help to ensure you have the supplies you need when you need them.

## 360° SERVICE

LogiQuip's experienced **Sales Representatives** and **Award-Winning Customer Support Team** provide unparalleled service before, during, and after the sale.



LogiQuip is committed to fulfilling customer orders as quickly as possible which is why we have hundreds of products in stock, ready to ship every day. Please contact LogiQuip's Customer Experience Team or your Sales Representative to learn more.

WITH LABOR SHORTAGES AND THE EVER-INCREASING DEMAND TO DO MORE WITH LESS, the **LogiQuip Services Team** can help to decrease that burden with turnkey solutions to help ensure you have the supplies you need when you need them.

## PROJECT MANAGEMENT

From our initial meeting with you through implementation, a LogiQuip **Services Team Member** will be assigned as your **Project Manager**, working with you every step of the way. Your **Project Manager** will serve as your single point of contact during the project life cycle. Together we will develop and implement project milestones until the work is complete. Contact your **Sales Representative** or call **(800) 665-3760** for more information.

## ON-SITE ANALYSIS

Working with your LogiQuip **Representative**, an on-site analysis will be done to ensure that the **Project Manager** has a complete understanding of your current environment. During our on-site analysis we will review your current state, identify gaps, and align on the goals of the project.

## PLANNING

Using a mix of innovative products, Lean principles, tried and true methods, and out of the box thinking, LogiQuip will provide a holistic plan with turnkey solutions to minimize downtime while decreasing your storage footprint and increasing PAR levels.

## INSTALLATION & CONVERSION

LogiQuip is dedicated to providing on-time delivery, efficient installation, and supply conversion to minimize down time and time on site to get you up and running as quickly as possible.

## ONGOING SUPPORT

With the project complete, we want to help you sustain the changes that have been made. With **Annual Inventory Reviews**, **Preventative Maintenance Plans**, and **Field Service** for in warranty and out of warranty repairs, we have you covered to keep things running smoothly.

# TABLE OF CONTENTS

## TABLE OF CONTENTS

WHY LOGIQUIP®? . . . . .	2
LOGIQUIP SERVICES TEAM . . . . .	3
PARSTOR® SERIES FEATURES & BENEFITS . . . . .	5
PARSTOR PRODUCT LINE COMPARISON . . . . .	6
PARSTOR MOVABLE SHELVING SYSTEMS . . . . .	7
MEASURING PARSTOR & PARCART UNITS . . . . .	8
OPEN PARCARTS . . . . .	9
ENCLOSED PARCARTS . . . . .	10
PARSTOR ACCESSORIES . . . . .	11-15
WIRE BASKETS & DIVIDERS . . . . .	12
CLEAR TUBS & DIVIDERS . . . . .	13
CHROME WIRE SHELVES . . . . .	14
WIRE SHELF SPECIFICALLY FOR TOP SHELF . . . . .	14
CROSS BAR & SLIDES . . . . .	14
CASTERS . . . . .	15
LABELS & DUST COVERS . . . . .	15



# PARSTOR® SERIES

LogiQuip's **ParStor Series** is ideal for use in **Sterile Processing Departments (SPD)** and **Operating Rooms (OR)** to store surgical instruments, peel pouches, and sutures. Our highest-density storage system, **ParStor** is designed to be used where space is at a premium. With a variety of storage accessories that extend 100%, you will have full access to your supplies when needed. If you are looking for a mobile option, our **ParCarts** are made to move. Built on a sturdy **Dolly Platform** with **5" Casters**, large quantities of supplies can be transported over thresholds and throughout your facility with ease.

## MAXIMIZE STORAGE DENSITY

Ideal for small storage areas, our **ParStor Series** utilizes every inch of vertical storage space to maximize storage capacity. The tall, **All-Welded Frames** are outfitted with **Chrome Slides** that can be mounted **Straight** or at an **Angle**. **ParStor Frames** have **Notches** to allow **Slides** and **Accessories** to be mounted at 1" intervals.

## FLEXIBLE CONFIGURATIONS


LogiQuip's **ParStor Line** is available in multiple configurations to accommodate high-density storage in any situation. **ParStor** units are movable, making it easy to clean or reorganize your storage area or when you need to move supplies from location to location. **ParCarts** come in **Open** or **Enclosed**, **Single-** and **Double-Wide**, and come in three heights.

## CUSTOMIZE WITH ACCESSORIES

**ParStor Slides** accept several **Accessories** that can be extended 100% for full access to stored supplies and adjusted without tools. **Chrome Plated Waterfall Edge Shelves** are available for instrument storage that minimizes snags and tears. In addition, our **LogiCell Wire Baskets** and **Clear Tubs** are available with and without **Dividers** to fully customize your **ParStor Unit**.

## LIMITED 5-YEAR WARRANTY

LogiQuip products are covered by a **Limited 5-Year Warranty** from date of receipt against defect in materials or workmanship under normal use and service, excluding **Electronic Components, Cart Covers, Custom Products, LogiCell Tambour Doors, Label Holders, and Casters**. During this period, LogiQuip will, in its sole discretion, repair defects in materials or workmanship that existed when the product was received or replace the product. If the product is replaced, the new product will be warranted for the remaining term of the original product warranty period. Visit [LogiQuip.com/Warranty](http://LogiQuip.com/Warranty) for more details.



ParStor Mobile Cart



Open ParCart



Enclosed ParCart

# PARSTOR® PRODUCT LINE

## WHAT'S THE DIFFERENCE?

While all ParStor Storage Systems give you our highest density storage in small spaces, there are some differences between ParStor and ParCarts that you need to consider when deciding which solution is right for you. See the chart below to compare all ParStor options.



ParStor Movable Shelving units are the right solution when your supplies can remain in one location. These units can be moved for cleaning.



ParStor ParCarts are the perfect solution when you need to transport supplies department-to-department. Built on a Dolly Base, this sturdy option is built to move.



Building on our ParStor ParCarts, this enclosed option is perfect for when supplies may be exposed to contaminants during transport.

### PARSTOR PRODUCT LINE COMPARISON

FEATURES	PARSTOR ON CASTERS	PARCARTS OPEN	PARCARTS ENCLOSED
DOLLY BASE	No	Yes	Yes
USE FOR TRANSPORT	No	Yes	Yes
COMPATIBLE WITH SHELVES, BASKETS, AND BINS	Yes	Yes	Yes
OPEN STORAGE	Yes	Yes	No
ENCLOSED STORAGE	No	No	Yes
SECURITY OPTIONS	No	No	eLock & Keylock Available
DEPARTMENT USE	SPD OR CORE Clean Supply Room	Materials Management Supply Chain	OR OR Core SPD
USES	Instrument Storage Sterile Wrap Storage	Sterile Supplies IV Solutions Instrument Containers Implants	Sterile Supplies IV Solutions Instrument Containers Implants

# PARSTOR® MOVABLE SHELVING SYSTEMS

## PARSTOR MOVABLE SHELVING

LogiQuip's ParStor Movable Shelving is a complete system with two add-ons for each starter, and ideal for storing sterile containers. The height is 80" to the top of the **Frame** and 82" if you include the lip of the **Top Wire Shelf**. **Shelving** units should be limited to rolling within the immediate area for things like cleaning.

These units are not intended to be moved between departments. **Accessories** are mounted with **Full-Extension Slides** that are adjustable without tools to fit the **Vertical Slots** in the **Frame**. **Slanted Slides** can slant up to four (4) slots. All units include four (4) **Cross Bars**, one (1) **Wire Top Shelf**, and one (1) **Bottom Dust Shield**.

Assembly is required for all **ParStor Shelving**. Contact your representative to request factory or on-site assembly.



MODEL # NPS74CSM

PARSTOR MOVABLE SHELVING SYSTEMS			
MODEL	DESCRIPTION	INCLUDES	D x W - IN.
NPS74CSM	Narrow Size Starter Unit With Top Shelf	(2) 65-Slot Frames, (7) Pairs of Slides, (7) Narrow Waterfall Shelves, (4) 5" Casters - (2) Swivel, (2) Brake, (1) Bag of 50 Label Holders	25.5 x 19.25
NPS74CSMA	Narrow Size Add-On Unit With Top Shelf	(1) 65-Slot Frame, (7) Pairs of Slides, (7) Narrow Waterfall Shelves, (2) 5" Casters - (1) Swivel, (1) Brake, (1) Bag of 50 Label Holders	25.5 x 17.5
PS74CSMN	Narrow Size Starter Unit (No Top Shelf)	(2) 65-Slot Frames, (7) Pairs of Slides, (7) Narrow Waterfall Shelves, (4) 5" Casters - (2) Swivel, (2) Brake, (1) Bag of 50 Label Holders	25.5 x 19.25
PS74CSMNA	Narrow Size Add-On Unit (No Top Shelf)	(1) 65-Slot Frame, (7) Pairs of Slides, (7) Narrow Waterfall Shelves, (2) 5" Casters - (1) Swivel, (1) Brake, (1) Bag of 50 Label Holders	25.5 x 17.5
PS74EM	Base Starter Unit	(5) 5" Baskets with (5) Long and (5) Short Dividers, (1) 8" Basket with (1) Long Divider, (4) 5" Casters - (2) Swivel, (2) Brake	24 x 20
PS74M	Starter Unit	(2) 65-Slot Frames, (7) Pairs of Slides, (1) Pair Slanted Slides with Safety Stop, (1) 5" Tray with Frame + (2) Long Dividers and Short Dividers, (1) 3" Basket + (2) Long and Short Dividers, (5) 5" Baskets + (5) Long and (10) Short Dividers, (1) 8" Basket + (1) Long and Short Dividers, (4) Casters - (2) Swivel/(2) Brake, (50) LH3 Label Holders	24 x 20
PS74MA	Add-On Unit	Same as PS74M without (1) Frame and (2) Casters	25.5 x 19.25
PS74PM	Add-On Starter Unit	(1) 3" Clear Tub with (2) Long and (2) Short Dividers, (2) Slanted Slides with Safety Stop, (6) 5" Clear Tubs with (6) Long and (6) Short Dividers, (1) 8" Clear Tub with (1) Long and (1) Short Divider, (4) 5" Casters - (2) Swivel, (2) Brake, (50) LH3 Label Holders	25.5 x 19.25
PS74IRM	Peel Pouch Instrument Storage Starter Unit	(2) 65-Slot Frames, (7) Pairs of Slides, (7) 5" Baskets + (10) Long and (36) Short Dividers, (4) Casters - (2) Swivel/(2) Brake, (50) LH3 Label Holders	25.5 x 21
PS74IRMA	Peel Pouch Add-On	Same as PS6IRM without (1) Frame and (2) Casters	25.5 x 19.25
PS74IVMA	Peel Pouch Add-On Unit	(1) 5" Basket with (2) Long Dividers, (4) 8" Baskets with (8) Long Dividers, (2) 5" Casters - (1) Swivel, (1) Brake, (50) LH3 Label Holders	25.5 x 19.25
PS74CSM	Container Storage Starter Unit	(2) 65-Slot Frames, (4) Casters - (2) Swivel/(2) Brake, (7) Pairs of Slides, (7) Wire Shelves, (50) LH3 Label Holders	25.5 x 21
PS74CSMA	Container Storage Add-On	Same as PS74CSM without (1) Frame and (2) Casters	25.5 x 19.25
FR74M	Starter Kit on Casters	(2) 65-Slot Frames, (4) Casters - (2) Swivel/(2) Brake, Note: Sides Not Included	25.5 x 21
FR74MA	Add-On Unit on Casters	Same as FR74M without (1) Frame and (2) Casters	25.5 x 21

# MEASURING PARSTOR® & PARCART UNITS


## MEASURING PARSTOR & PARCART UNITS

ParStor and ParCart product dimensions are measured at the widest and tallest points of the product. This helps to plan out a room more effectively. Below is an example of the dimensions for a standard ParStor Movable Shelving unit and Add On.

ParStor Movable Shelving Unit



ParStor Movable Shelving Unit and Add On



# OPEN PARCARTS

## OPEN PARCARTS

The integrated **Dolly** on **Open ParCarts** creates stability and allows for the transport of sterile supplies.

**ParCarts Accessories** (including **ParStor® 16" x 24" Baskets and Tubs** pages 14-15) are mounted with **Full-Extension Slides** on the available **Slots**. **Open ParCart Frames** are designed from all-welded 1.5" square tubular epoxy-coated steel, and have **Vertical Slots** spaced at .4375" intervals.

Each **Frame** has a **Metal Floor**, four (4) 5" quiet poly-swivel **Casters** – two (2) Swivel and two (2) Brake, and **Donut Bumpers** on the corners. If applicable, a pair of 12" **Vertical Push Handles** protruding 3.125" on one side, are located at a height of 39-51" depending on the model. Each **Slide**, ordered separately, is adjustable without tools to fit the **Frame slots**. **Slanted Sliders** can slant up to four (4) slots.

OPEN PARCART FRAMES		
MODEL	DESCRIPTION	D x W x H - IN.
300-V	Single, 30 Slots	29.5 x 25.5 x 43
320-V	Double, 60 Slots	29.5 x 44 x 43
500H-V	Single, 44 Slots, Push Handles	29.5 x 25.5 x 58.5
520H-V	Double, 88 Slots, Push Handles	29.5 x 44 x 58.5
600H-V	Single, 60 Slots, Push Handles	29.5 x 25.5 x 74
620H-V	Double, 120 Slots, Push Handles	29.5 x 44 x 74



MODEL # 300-V

OPEN PARCART KITS			
MODEL	DESCRIPTION	INCLUDES	D x W x H - IN.
310-V	Single, Short	(1) 300-V ParCart Stainless Steel Top, (1) 3" Basket, (2) 5" Baskets, (1) 8" Basket, (4) Pairs of Slides with Safety Stop	29.5 x 25.5 x 43
605-V	Single	600H-V ParCart, (1) 2" Basket (7) Pairs of Slides with Safety Stop (6) 5" Baskets	29.5 x 25.5 x 74
500IV-V	IV Cart, Single	500H-V ParCart, (5) Pairs of Slides, (1) 5" Basket + (2) Long Dividers, (4) 8" Baskets + (8) Long Dividers	27.5 x 25.5 x 58.5
520IV-V	IV Cart, Double	520H-V ParCart, (10) Pairs of Slides, (2) 5" Baskets + (4) Long Dividers, (8) 8" Baskets + (16) Long Dividers	28.5 x 44 x 69.5



MODEL # 520IV-V

# ENCLOSED PARCARTS

## ENCLOSED PARCARTS

The integrated **Dolly** on **Enclosed ParCarts** creates stability, allows units to be moved between floors or departments, and is ideal for non-dedicated delivery systems. The frame is all-welded 1.5" square tubular epoxy-coated steel, enclosed with a blue epoxy-coated panel on three (3) sides and the top of the unit, and has **Vertical Slots** spaced at .4375".

**ParCarts** hold standard **ParStor® 16" x 24" Baskets and Tubs** (see **Accessories** pages 14-15). The floor is a sturdy metal base with a **Solid Shelf** insert for infection control. Four (4) 5" quiet poly-swivel **Casters**, and **Donut Bumpers** on the corners are standard. The door(s) are 3/8" clear acrylic with (3) three hospital-grade hinges and chrome handles. **Frames** have **Vertical Slots** spaced at .4375".

All **Enclosed ParCarts** include a magnetic catch on the clear acrylic door (double models include two (2) doors). A pair of 12" **Vertical Push Handles** are included, protruding 3.125" on the left side at a height of 39-51". **Accessories** are mounted with full-extension **Slides**. Each **Slide** is adjustable, without tools, to fit the **Slots** in the **Frame**. **Slides** with **Safety Stop** can be positioned at an angle or perpendicular to the **Cabinet**. When slanted they can slant up to four (4) slots.


ENCLOSED PARCARTS		
MODEL	DESCRIPTION	D x W x H - IN.
500HEN-V	Single, 44 Slots	29 x 25.5 x 58.5
520HEN-V	Double, 88 Slots	29 x 44 x 58.5
600HEN-V	Single, 60 Slots	29 x 25.5 x 74
620HEN-V	Double, 120 Slots	29 x 44 x 74
500HEN-KL	Single, 44 Slots, Key Lock	29 x 25.5 x 58.5
520HEN-KL	Double, 88, Key Lock	29 x 44 x 58.5
500HEN-EL	Single, 44 Slots, eLock	29 x 25.5 x 58.5
520HEN-EL	Double, 88 Slots, eLock	29 x 44 x 58.5
600HEN-KL	Single, 60 Slots, Key Lock	29 x 25.5 x 74
620HEN-KL	Double, 120 Slots, Key Lock	29 x 44 x 74
600HEN-EL	Single, 60 Slots, eLock	29 x 25.5 x 74
620HEN-EL	Double, 120 Slots, eLock	29 x 44 x 74




ENCLOSED PARCART KITS			
MODEL	DESCRIPTION	INCLUDES	D x W x H - IN.
500IV-EN-V	IV Cart, Single	(5) Pairs of Slanted Slides with Stop, (1) 5" Basket + (2) Long Dividers, (4) 8" Baskets + (8) Long Dividers	27.5 x 25.5 x 58.5
505EN-V	IV Cart, Single	(6) Pairs of Slanted Slides with Stop, (1) 2" Basket, (4) 5" Baskets, (1) 8" Basket	27.5 x 25.5 x 58.5

## PARSTOR CARTS

ParStor Carts can be customized with a variety of optional Accessories, including Waterfall Edge Shelves, Wire Baskets, and Clear Tubs which all fully extend for easy access.



Scan QR Code to see product details.



## WIRE BASKETS & DIVIDERS

LogiQuip's white epoxy coated steel **Wire Baskets** for **ParStor** and **LogiCell®** have an exterior dimension of 23.6" D x 15.75" W. They are used to store supplies, where the open wire structure providing air circulation is desired. Each **Wire Basket** has two (2) built-in safety stops. **Dividers** are sold individually or included in the kits to segment the **Basket** for optimization of organization.

WIRE BASKETS*		
MODEL	DESCRIPTION	SLOTS USED
2B	For 16" D x 24" W Columns	4
5B	For 16" D x 24" W Columns	7
8B	For 24" D x 16" W Columns	10

DIVIDERS		
MODEL	DESCRIPTION	D x H - IN.
2BDL	For 2" Wire Basket, Long	22 x 1.625
2BDS	For 2" Wire Basket, Short	14 x 1.625
5BDL	For 5" Wire Basket, Long	22 x 4.625
5BDS	For 5" Wire Basket, Short	14 x 4.625
8BDL	For 8" Wire Basket, Long	22 x 7.5
8BDS	For 8" Wire Basket, Short	14 x 7.5


WIRE BASKET & DIVIDER KITS*	
MODEL	DIVIDERS
2BD11	1 Long, 1 Short
2BD12	1 Long, 2 Short
2BD22	2 Long, 2 Short
2BD33	3 Long, 3 Short
5BD11	1 Long, 1 Short
5BD12	1 Long, 2 Short
5BD22	2 Long, 2 Short
5BD33	3 Long, 3 Short
8BD11	1 Long, 1 Short
8BD12	1 Long, 2 Short
8BD22	2 Long, 2 Short
8BD33	3 Long, 3 Short




5B



5BDL



8BDS



WIRE BASKET & DIVIDER KIT (Top) Model 2BD11  
(Bottom) Includes Models (1) 5B, (1) 5BDL, and (2) 5BDS



Includes Models (1) 8B, and (1) 8BDS

## EASY ACCESSIBILITY

ParStor Accessories that can be extended 100% for full access to stored supplies and adjusted without tools.

\*Max Weight Load - 2B Models is 20 lbs.; 5B Models is 40lbs; 8B Models 50 lbs.

## CLEAR TUBS & DIVIDERS

These Polycarbonate (PC) **Clear Tubs** for **LogiCell** have an exterior dimension of 24" D x 16" W, and are used to store supplies, typically smaller or those with a concern of spills. Each **Tub** includes two (2) **Safety Stops** and can be used with standard and wide units. The **Clear Dividers** can be installed to segment the **Tub** for optimization of organization.

TUBS* WITH SAFETY STOPS		
MODEL	DESCRIPTION	SLOTS USED
2TCL24	For 24" D x 16" W Columns	4
4TCL24	For 16" D x 24" W Columns	7
8TCL24	For 16" D x 24" W Columns	10

DIVIDERS		
MODEL	DESCRIPTION	D x H - IN.
2TDLCL	For 2" Tub, Long	22 x 2
2TDSCL	For 2" Tub, Short	14 x 2
4TDLCL	For 4" Tub, Long	22 x 4
4TDSCL	For 4" Tub, Short	14 x 4
8TDLCL	For 8" Tub, Long	22 x 8
8TDSCL	For 8" Tub, Short	14 x 8

TUB & DIVIDER KITS*		
MODEL FOR 16" D x 24" W COLUMNS	MODEL FOR 24" D x 16" W COLUMNS	DESCRIPTION/ DIVIDERS
2TCL16D11	2TCL24D11	2" Tub/1 Long, 1 Short
2TCL16D12	2TCL24D12	2" Tub/1 Long, 2 Short
2TCL16D22	2TCL24D22	2" Tub/2 Long, 2 Short
2TCL16D33	2TCL24D33	2" Tub/3 Long, 3 Short
4TCL16D11	4TCL24D11	4" Tub/1 Long, 1 Short
4TCL16D12	4TCL24D12	4" Tub/1 Long, 2 Short
4TCL16D22	4TCL24D22	4" Tub/1 Long, 2 Short
4TCL16D22	4TCL24D22	4" Tub/2 Long, 2 Short
4TCL16D33	4TCL24D33	4" Tub/3 Long, 3 Short
8TCL16D11	8TCL24D11	8" Tub /1 Long, 1 Short
8TCL16D12	8TCL24D12	8" Tub/1 Long, 2 Short
8TCL16D22	8TCL24D22	8" Tub/1 Long, 2 Short
8TCL16D22	8TCL24D22	8" Tub/2 Long, 2 Short
8TCL16D33	8TCL24D33	8" Tub/3 Long, 3 Short

FRAME FOR CLEAR TUBS		
MODEL	DESCRIPTION	D x H - IN.
SLFR-V	Frame required for Clear Tub Storage	22 x 14



\*Max Weight Load - 2T Models is 20 lbs.; 4T Models is 40lbs; 8T Models 50 lbs.

## CHROME WIRE SHELF + STAINLESS STEEL COVER

The **Chrome Wire Shelf for Slides** has a 2" lip in rear, a 1" lip in the front for labeling, and occupies two (2) Slots. The **Stainless Steel Cover** converts a **Wire Shelf** into a **Solid Shelf**.

CHROME WIRE SHELF + STAINLESS STEEL COVER		
MODEL	DESCRIPTION	D x W x H - IN.
TU1620RPS-V	Chrome Wire Shelf use with Cross Bar CB18JB-V	24 x 14 x 3
TU1620CVR-V	Stainless Steel Cover for TU1620RPS-V	23.25 x 14.25 x 1.25
TU1420RPS-V	Chrome Wire Shelf use with Cross Bar CB16JB-V	24 x 14 x 3
TU1420CVR-V	Stainless Steel Cover for TU140RPS-V	23.25 x 14.25 x 1.25



MODEL # TU1620RPS-V



MODEL # TU1620CVR-V

## WIRE SHELF SPECIFICALLY FOR TOP SHELF

LogiQuip offers **Wire Shelves** that are specifically designed for the top shelf for both **Single and Double ParStor Mobile PS68 Series** and **Open ParCarts**.

PS68 SERIES		
MODEL	DESCRIPTION	D x W x H - IN.
BTO-V	Waterfall Edge Wire Shelf for Top - Rear Lip 2" H, Front Lip 1" H for Labeling	22 x 18 x 4



MODEL # BTO-V

## CROSS BAR

Add four (4) **Cross Bars** to the frames to complete **ParStor** and **ParCart** units. These chrome-plated **Cross Bars** provide a strong, stable connection.

CROSS BARS		
MODEL	DESCRIPTION	D x W x H - IN.
CB18JB-V	Standard Cross Bar Frame	.5 x 1.5 x 17.5
CB16JB-V	Narrow Cross Bar for TU1420RPS-V	.5 x 1.5 x 16



MODEL # CB18JB-V

## SLIDES

**Full Extension Ball Bearing Slides** can be used along **ParStor** and **ParCart** Frames. Sit our **Wire Baskets**, **Clear Tubs**, or **Waterfall Edge Chrome Wire Shelves** on the hooks for smooth extension and full access to your supplies.

SLIDES		
MODEL	DESCRIPTION	LENGTH - IN.
SL-V	Slides (pair)	24
SLT-L*	Slanted Slides (pair) with Safety Stop	24

\*Can slant up to four (4) slots.



MODEL # SL-V



MODEL # SLT-L



# PARSTOR® ACCESSORIES

## CASTERS

5" Swivel Casters with and without Brake are designed to be used with ParStor and ParCart units.

PARCART CASTERS	
MODEL	DESCRIPTION
C5	5" Plate Caster
CB5	5" Plate Caster with Brake



PARSTOR CASTERS	
MODEL	DESCRIPTION
5C-DS	5" Swivel Stem Caster
5CB-DS	5" Swivel Stem Caster with Brake

\*Need to order PSCAST2-INSERT



## LH13 LABEL HOLDERS

The LH13 Label Holders are mounted by sliding on the full width of the top edge of the Wire Basket or Clear Tub. The clear labeling area is folded over itself to create a protected space for the Label to slide into.

LH13 LABEL HOLDERS		
MODEL	DESCRIPTION	W x H - IN.
LH132PS	For Baskets and Tubs	2 x 13.9
LH134PS-TD	For Baskets and Tubs	4 x 13.9



MODEL # LH132PS

## 3-INCH LABEL HOLDERS FOR WIRE SHELVING

Our wide variety of 3-Inch Label Holder colors aid in color coding inventory, making supplies easier to find. These 1" W x 3" H Label Holders include a loop for attaching to Shelves or Baskets, come in bags of 50, and can be used on ParWire Basket Shelving and LQS Shelving. Choose from 11 colors; Blue, Red, Pink, Yellow, Orange, Green, Purple, Black, Brown, Gray and White.

3-INCH LABEL HOLDERS	
MODEL	COLOR
LH3-BLUE	Blue
LH3-RED	Red
LH3-PINK	Pink
LH3-YELLOW	Yellow
LH3-ORANGE	Orange
LH3-GREEN	Green
LH3-PURPLE	Purple
LH3-BLACK	Black
LH3-BROWN	Brown
LH3-GRAY	Gray
LH3	White




Model #  
LH3-BLUE

## DUST COVERS

Poly Dust Covers can be added to the bottom of each ParStor unit for added protection of the supplies at the bottom of the Cart.

BOTTOM DUST SHIELD		
MODEL	DESCRIPTION	D x W - IN.
INSERT-V	For Standard Size Units	19.5 x 21.75
INSERTN-V	For Narrow Size Units	17.5 x 21.75





[www.logiquip.com](http://www.logiquip.com)

(800) 665-3760 | [customerexperience@logiquip.net](mailto:customerexperience@logiquip.net)

LPSC-05-26